Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	8	("L4") near4 (port service) and (L5-7 "L5" "L7") near5 (port service) and (CAM (PE near4 CAM) (content adj addressable adj memory) (KR near3 CAM))	US-PGPUB; USPAT: USOCR; EPO; JPO; DERWENT; IBM_TDB	OR OR	ON	2005/12/23 07:04
L3	9	("L4") near4 (port service) and (L5-7 "L5" "L7") near5 (port service) and (CAM (PE near4 CAM) (content adj addressable adj memory) (KR near3 CAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 07:05
L4	2	("L4") near4 (port service) and (L5-7 "L5" "L7") near5 (port service) and ((content adj addressable adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 07:06
L5	1	("L4") near4 (port service interface) and (L5-7) near5 (port service interface) and ((content adj addressable adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 07:07
L6	29	("L4") near4 (port service interface) and ((content adj addressable adj memory))	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/12/23 08:04
L8	0	(allocat\$5) near5 (server) near5 (group cluster) and (stickiness persistence) near4 (polic\$5) and (double dual multiple plural) near5 (load) near4 (balan\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:06
L9	2173	(double dual multiple plural) near5 (load) near4 (balan\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:08
L10	76	(double dual multiple plural) near3 (load) near3 (balancer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:20
L11	0	"10415327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:20
L12	1	"10/415327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:03
L13	1	"10/143802"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:04

L14	1	"10/112167"	US-PGPUB;	OR	ON	2005/12/23 09:56
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L15	2	"5057935" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM: TDB	OR	ON	2005/12/23 10:15
L16	1	09/881872	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:59
L17	2	"6778540":pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:19
L18	2	09/751011	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:20
L19	1	10/245669	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/12/23 10:21
L20	2	09/751009	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:47
L21	62	(server near3 index) same (service near3 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 11:00
L22	60108	(server near3 index) same (service near3 index) sa,e (load near3 balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:43
L23	3	(server near3 index) same (service near3 index) same (load near3 balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:43
L24	0	09/493573	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:48

L25	6	09/493753	US-PGPUB:	OR	ON	2005/12/23 10:48
L23	•	U3/4301 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2003/12/23 10:48
L26	41	(hierarchic\$5) near5 (load) near5 (balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 11:00
S1	0	((monitor\$4 Determin\$4) near10 (performanace)) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:53
S2	41649	((monitor\$4: Determin\$4): near10 (performance)) and: @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:57
S3	63	(((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and (((minimiz\$4) near3 (delay))and (provide\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:13
S4	13	((((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and (((minimiz\$4) near3 (delay))and (provide\$2))) and agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:17
S5	7	((((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and (((minimiz\$4) near3 (delay))and (provide\$2))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 10:55
S6	65027	((monitor\$4:Determin\$4):near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:13
S7	668	(((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:05
S8	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acqur\$4 extract\$4) near5 (Cpu adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:15
S9	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acquir\$4 extract\$4) near5 (Cpu adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:15
S10	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acquir\$4) near5 ((CPU processor) adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:16
S11	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acquir\$4) near1 ((CPU processor) adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:16

S12	51	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (CPU processor) adj (load performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/28 11:17
S13	13	((((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:16
S14	34	(((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:05
S15	22	(((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (program adj code\$4)) and (agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S16	0	Moblie adj agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S17	576	Mobile adj agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S18	239	(Mobile adj agent\$4) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S19	0	((Mobile adj: agent\$4): and @ad<"19991126") and((monitor\$4 Determin\$4) near10 (performanace))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:14
S20	12	((Mobile adj agent\$4) and @ad<"19991126") and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:41
S21	3	(Mobile adj agent\$4) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:26
S22	0	((mobile and inteeligent and software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:27
S23	0	((mobile and intelligent and software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:54
S24	59	((mobile and intelligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:43

S25	2	((mobile intelligent software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:21
S26	658	((mobile intelligent software) adj (agent\$))and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:28
S27	1	(((mobile intelligent software) adj (agent\$))and "709"/\$.ccls.) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:00
S28	10	Dynamic adj mobile adj agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:00
S29	2	"5809512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:02
S30	30729	(Message) with (data and (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:03
S31	11528	(Message)near3 (data and (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:07
S32	O	(((Message)near3 (data and (program code))) and ((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay)))) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/28 16:07
S33	62	((Message)near3 (data and (program code))) and ((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:05
S34	2947	(Message)near3 (data near2 (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:56
S35	9	((Message)near3 (data near2 (program code))) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:08
S36	15	(((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (CPU processor) adj (load performance)) and agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:16
S37	93	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (program adj code\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:18

S38	1089	((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4	US-PGPUB:	OR	ON	2004/01/28 16:49
	1009	provider\$4 ISP)adj(data information)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	J.	O.V	2004/01/2010.49
S39	0	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and ((mobile and inteeligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:27
S40	0	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and ((mobile and intelligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:28
S41	10	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and((mobile intelligent software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/29 08:32
S42	581	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:34
S43	50	((((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and @ad<"19991126") and "709"/\$ ccls:	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:43
S44	2	"5457797".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:45
S45	0	"5457797";pn. and((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/28 16:45
S46	2	"5774660".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:46
S47	2	"6026425".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:47
S48	2	"6209018".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:48
S49	5714	709/105,220,225,226,224.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:59
S50	32	709/105,220,225,226,224.ccls. and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:49

S51	0	709/105,220,225,226,224.ccls. and((mobile and intelligent and software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/01/28 16:55
		information)))and((monitor\$4 Determin\$4) near10 (performance))	DERWENT; IBM_TDB			
S52	0	709/105,220,225,226,224.ccls. and((mobile and intelligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM: TDB	OR	ON	2004/01/28 16:55
S53	177	709/105,220,225,226,224.ccls. and((mobile intelligent software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:55
S54	2	(709/105,220,225,226,224.ccls.: and((mobile intelligent software): adj (agent\$))) and (Message)near3 (data near2 (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/28 16:56
S55	82	(709/105,220,225,226,224.ccls. and((mobile intelligent software) adj (agent\$))) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:57
S56	4	"580952":pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/29 08:32
S57	2	"5809512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/29 16:43
S58	2	"6678715" pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:15
S59	1478	(trans\$5) near3 (size) near10 (information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:21
S60	914	(trans\$5) near3 (size) near3 (information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:21
S61	498	(trans\$5) near2 (size) near2 (information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:22
S62	14	(trans\$5) near2 (size) near2 (CPU system) near2 (information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 07:30
S63	7	(Partition\$5 break\$5 breakdown fregment\$5) near3 ((packet) (data adj packet) (information adj packet)) near5 (before prior) near3 (send\$5 transmit\$5) and (size system network) near10 (characteristic information data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 07:49

S64	0	(Partition\$5 break\$5 breakdown fregment\$5) near3 ((packet) (data adj packet) (information adj packet)) near5 (before prior) near3 (send\$5 transmit\$5) near10 (based depend\$5) near10 (size system network) near10 (characteristic information data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 07:52
S65	7	(Partition\$5 break\$5 breakdown fregment\$5) near3 ((packet) (data adj packet) (information adj packet)) near5 (before prior) near3 (send\$5 transmit\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 07:52
S66	2	"6421733".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 12:25
S67	80	709/105,220,225,226,224.ccls. and (transcod\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:59
S68	194	709/105,220,225,226,224,217,246.ccls. and (transcod\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:00
S69	2	"5768385".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 12:26
S70	33	persistence near5 policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:46
S71	2	"6728748".pn.	US-PGPUB; USPAT; USOCR EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:46
S72	2	"6728748".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:19
S73	452	(load near4:balance) same (layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/12/22 16:20
S74	29	(load near4 balanc\$5) same (polic\$5) same (layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:34
S75	5	(load near4 balanc\$5) same (polic\$5) and (service) near3 (index) and (server) near4 (group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 07:01